



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Port of Iloilo.

Bills of health issued	194
Vessels inspected	106
Passengers on arriving vessels inspected	1, 018
Crew on arriving vessels inspected	2, 709
Outgoing:	
Vessels remaining in quarantine from October	14
Vessels entering quarantine during the month	11
Vessels discharged from quarantine	25
Vessels sailing without quarantine, inspected and passed	182
Persons remaining in quarantine from October	259
Crew quarantined	105
Steerage passengers quarantined	150
Crew on vessels inspected	3, 233
Passengers on vessels inspected	2, 428

Port of Cebu.

Bills of health issued	9
Vessels inspected	166
Passengers on arriving boats inspected	1, 510
Crew on arriving vessels inspected	3, 991
Persons bathed and effects disinfected	74
Persons detained in quarantine	2
Persons vaccinated	180
Vessel partially disinfected	1
Vessels fumigated to exterminate vermin	10
Vessel entering quarantine	1
Case of quarantinable disease detected on vessel—smallpox	1
Pieces of baggage disinfected	99

Port of Cavite.

Bill of health issued	1
Vessels inspected	6
Crew on arriving vessels inspected	4, 197

Port of Olongapo.

Vessels inspected	9
Passengers on arriving boats inspected	190
Crew on arriving vessels inspected	119

Port of Zamboanga.

Vessels inspected	3
Passengers on arriving boats inspected	9
Crew on arriving vessels inspected	163

Port of Jolo.

Vessels inspected	13
Passengers on arriving boats inspected	659
Crew on arriving vessels inspected	677

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND
CITIES—UNTABULATED.

ALGERIA—*Algiers*.—Month of December, 1906. Estimated population, 155,000. Total number of deaths, 338. No deaths from contagious diseases.

ARGENTINA—*Buenos Aires*.—Two weeks ended December 22, 1906. Estimated population, 1,064,000. Total number of deaths not reported. The following deaths from contagious diseases were reported: Diphtheria 2, enteric fever 3, measles 6, whooping cough 2, plague 4, and 68 from tuberculosis.

BRAZIL—*Pernambuco*.—Two weeks ended December 15, 1906. Estimated population, 210,000. Total number of deaths, 261, including leprosy 1, whooping cough 1, smallpox 35, and 58 from tuberculosis.

CUBA.—Month of December, 1906. Reports from the 6 provinces, having an aggregate population of 1,572,797, show as follows: Deaths from contagious diseases: Diphtheria 18, enteric fever 6, malarial fever 10, measles 1, yellow fever 2, whooping cough 1, and 73 from tuberculosis.

FRANCE—*Marseille*.—Month of December, 1906. Estimated population, 517,498. Total number of deaths, 1,359, including diphtheria 7, enteric fever 36, measles 2, scarlet fever 4, smallpox 88, whooping cough 2, and 176 from tuberculosis.

GERMANY—*Strasbourg*.—Month of November, 1906. Estimated population, 185,000. Total number of deaths, 252, including diphtheria 2, enteric fever 4, whooping cough 2, and 36 from tuberculosis.

Weimar.—Month of December, 1906. Estimated population, 31,127. Total number of deaths, 49, including diphtheria 3, measles 1, whooping cough 1, and 2 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended January 5, 1907, correspond to an annual rate of 22.4 per 1,000 of population, which is estimated at 16,024,458.

Bradford.—Two weeks ended December 29, 1906. Estimated population, 288,544. Total number of deaths 203, including diphtheria 3, measles 1, scarlet fever 1, whooping cough 4, and 21 from phthisis pulmonalis.

London.—Two thousand two hundred and thirty-two deaths were registered during the week, including measles 36, scarlet fever 8, diphtheria 28, whooping cough 38, enteric fever 7, and 21 from diarrhea. The deaths from all causes correspond to an annual rate of 24.5 per 1,000. In Greater London 3,053 deaths were registered. In the "outer ring" the deaths included 3 from diphtheria, 4 from scarlet fever, 4 from measles, 3 from whooping cough, and 2 from diarrhea.

Ireland.—The average annual death rate represented by the deaths registered during the week ended January 5, 1907, in the 21 principal town districts of Ireland was 26.6 per 1,000 of the population, which is estimated at 1,117,457. The lowest rate was recorded in Queens-

town, viz, 6.6, and the highest in Ballymena, viz, 43.1 per 1,000. In Dublin and suburbs 246 deaths were registered, including measles 3, whooping cough 7, and 30 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended January 5, 1907, correspond to an annual rate of 22.9 per 1,000 of the population, which is estimated at 1,812,171. The lowest rate of mortality was recorded in Perth, viz, 15.0, and the highest in Paisley, viz, 31.8 per 1,000. The aggregate number of deaths registered from all causes was 796, including diphtheria 11, enteric fever 7, measles 10, scarlet fever 2, and 18 from whooping cough.

ITALY—*Milan*.—Month of November, 1906. Estimated population, 560,132. Total number of deaths, 725, including diphtheria 5, enteric fever 20, scarlet fever 2, and 111 from tuberculosis.

JAPAN—*Formosa*.—Month of November, 1906. Estimated population, 3,050,004. Total number of deaths not reported. Two deaths from diphtheria, 3 deaths from enteric fever, and 84 deaths from plague reported.

JAVA—*Batavia*.—Two weeks ended December 15, 1906. Estimated population, 160,000. Total number of deaths not reported. No deaths from contagious diseases reported.

MALTA.—Two weeks ended December 29, 1906. Estimated population, 205,059. Total number of deaths, 228, including diphtheria 6 and 3 from enteric fever.

PARAGUAY—*Asuncion*.—Month of February, 1906. Estimated population, 55,120. Total number of deaths, 116, including enteric fever 2, plague 5, and 4 from tuberculosis.

SIBERIA—*Vladivostok*.—Period from November 4 to 14, 1906. Estimated population, 64,500. Total number of deaths not reported. One death from enteric fever reported.

SPAIN—*Cadiz*.—Month of December, 1906. Estimated population, 69,382. Total number of deaths, 170, including enteric fever 1, smallpox 8, and 24 from tuberculosis.

SWITZERLAND.—Week ended December 29, 1906. Reports from 18 cities, having an aggregate population of 846,710, show as follows: Total number of deaths, 245, including diphtheria 1, measles 16, scarlet fever 1, whooping cough 1, and 40 from tuberculosis.